	Туре	# 1	Hits	Search Text	DBs	Time Stamp
·	BRS	L3	1147207	(detect or detected or detecting or detection or determining or determining or determining or determination or determined or judge or judged or judgement or identify or identify or identification or identified or identifying) near5 (orientate or position or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20 14:13
4	BRS	L4	12494	L3 near5 (model or simulation or description)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	2007/04/20 14:13

•		
BRS	BRS	Туре
L6	L5	#
7142	697179	Hits
L1 same L5 same (model or simulation or description)	(detect or detected or detecting or detection or determining or determining or determining or determination or determining or judge or judged or judgement or calculate or calculated or calculation or calculating) near5 (error or deviate or deviated or difference)	Search Text
US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	DBs
2007/04/20 14:13	2007/04/2014:13	Time Stamp

,	Type	ሆ #	Hits	Search Text	DBs	Time Stamp
7	BRS	L ₇	1417508	(rotate or rotated or rotating or rotation or convert or converted or converted or converting or conversion or translate or translated or translating or translation or change or changed or changing or alter or altered or modified or modifying or modification) near5 (position or positioned or alignment or match or alignment or matching or alignment or matching or correlate or correlated or register or registered or registering or register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20
œ	BRS	L8	91344	L7 same L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20

·	Туре	۲ #	Hits	Search Text	DBs	Time Stamp
		·		,	US-PGPUB; USPAT;	
Φ	BRS	Г9	71	(L1 or L2) and L4 and L6 and L8	USOCR; FPRS; EPO; JPO; DERWENT;	2007/04/20 14:16
				Scanned Tills Kwic all	IBM TDB	
				(model or simulation or description or	US-PGPUB; USPAT:	
				representation) near5	USOCR;	2007/04/20
10	BRS	L10	121488	(error or deviate or	FPRS; EPO;	14.17
				deviated or deviating or	JPO;	+
				deviation or difference or	DERWENT;	
				variation)	IBM TDB	
					US-PGPUB;	
					USPAT;	
\		·			USOCR;	2001/01/20
11	BRS	L11	4466	L1 same L10	; EPO;	14:17
					JPO;	
	•	·			DERWENT;	
					IBM TDB	

	7 7 2	:	1		ţ	
				(rotate or rotated or		
				rotating or rotation or		
				convert or converted or		
				converting or conversion or		
				translate or translated or		
,				translating or translation		
				or change or changed or		
				changing or alter or	US-PGPUB;	
				altered or altering or	USPAT;	
				alteration or modify or	USOCR;	
12	BRS	L12	1908936	modified or modifying or	FPRS; EPO;	7/17
				modification) near5	JPO;	- - - - -
				(command or commanded or	DERWENT;	
				commanding or instruction	IBM_TDB	
				or instruct or instructed	-	
				or instructing or control		
				or controlled or		
			,	controlling or language or		
				protocol or application or		
•				program or level or setting		
				or code)		
					US-PGPUB;	
					USPAT;	
				L1 same L12 same (model or	USOCR;	007/04/00
13	BRS	L13	12462	simulation or description	FPRS; EPO;	2007/04/20
				or representation)	JPO;	H H + -
		-			DERWENT;	
					IBM TDB	

	Туре	#	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	23615	L1 same L12 same (error or deviate or deviated or deviation or deviation or difference or variation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; JERWENT; IBM_TDB	2007/04/20
15	BRS	L15	490	II and III and (II3 or II4) Scanned Ti, Mb, Kwit ull	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20 14:17
16	BRS	L16	3 2 8	µ_	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB \[\(\) \(\) \(\)	2007/04/20 14:21

	Туре	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L17	10	((@pd>="19470101" and @pd<="19710101") and (703/1 or 703/2).ccls.) Sc(MAPA T; G)(US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	2007/04/20
1 8	BRS	L18		1376" or "2002038855" [1376" or 750" or 793" or "4819184" [19" or "6230079" [38" or "6540471" [44" or "6540471" [31" or "6563281" [33" or "6418774" [55" or "6941192" [2" or "6836702" [2" or "6836702"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20
19	BRS	L19	N	1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20 14:27

υī	44	ω	N	Ъ	
US A1	US A1	SD	JР	US A1	U
200	200	669	200	200	000
6002	502	776:	321:	3008	ment
US 20060025890 A1	US 20050273202 A1	US 6697761 B2	JP 2003211376 A	US 20030085891 A1	Document ID
20060202	20051208 Bischoff,	20040224	20030729	20030508	Is Da
0202	1208	0224	0729	0508	Issue Date
	m 	•			
Nagatsuka; Yoshiharu et al.	isch	Akatsuka; Yuichiro et al.		Lyons, Alexander et al. 345/420	
suk	loff	uka		з, д	
a ,;		۲. ۲.		lexa	Inv
Yosh	Rainer	ıich		ande	Inventor
iiha	ř	liro		r e	ř
בם.		e t		t a	
				1.	
700/253	700/263	702/151		345/	E G
253	/263	151		420	Curren OR
					4
700/245		702/ 702/ 702/			X H
245		702/150; 702/152; 702/153	:		Current XRef
16	. 9	; 32	10	30	
		N	0	0	Page s

L9 Results

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Page 8
P	US 3422325 A	19690114	GERBER HEINZ JOSEPH et al.	318/574	318/604; 318/632	19
<u>.</u>					18/571; 00/187;	
N	US 3538315 A	19701103	REUTELER JOHANN F	318/574	00/189; 00/72;	30
					00/89	
					98/341.	
,					98/46	
					14/730	
					00/25	
<u></u>	TIC 3543910 A	19701201	MARTIN DAIII C At al	717/700	01/18;	7
	(? ? !	7 1 1 7 1 2 1		1.7
					01/2	
					01/5;	
					01/7	
					18/	
					18/59	
					18/59	
44	US 3551656 A	19701229	WOHLFEIL JACK A	318/574	18/603;	79
					318/632;	
					18/660	
					40/14	

L15 Results

:			-			
	Document ID	Issue Date	Inventor	Current OR	Current XRef	Page s
					318/632; 700/186;	
					700/252;	
Л	110 VCJ00VV	00000		700/07	700/253;	0
Ċ	05 40/0047 A	TAGIOGOS	Okada; iakusiii et ai.	/00/0/	700/254;	0
					708/442;	
					901/15;	
			,		901/3	
					318/560;	
					318/603;	
σ	US 5352961 A	19941004	Tajima; Fujio et al.	318/561		19
			•		318/7;	
					360/73.09	
					318/560;	
7	US 5497059 A	19960305	Tajima; Fujio et al.	318/561	318/603;	18
					318/609	
	US 6256546 B1	20010703	Graham; Michael Evans et al.	700/30	700/29	12
9	JP 2003211376	20030729				10
10	US 6615102 B1	20030902	Morfino: Giuseppe	700/173	700/166	10

L15 Results

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Page s
					242/DIG.1;	
					318/569;	
	.*	,			318/578;	
			,		318/604;	
	11C 2027250 A	10600301		210/20	318/632;	0
F		TOGOGO	BENNANU DIFFED	010/07	0/825.23;	O
					409/79;	
					700/159;	
	,				74/7R;	
					901/9	
				•	198/341.08;	
					198/468.2;	
					414/730;	
	- ,				414/735;	
					700/251;	-
N	US 3543910 A	19701201	MARTIN PAUL S et al.	414/728	/18;	24
					01/0	
					. 2	
					901/29;	
					901/5;	
					901/7;	
					901/9	

L16 Results

			A	
		20030729	JP 2003211376	ω
et al.	20030729 NAGATA, HIDEO et al.	20030729	JP 2003211376 A	N
uis B. et 702/95	Rosenberg; Louis B. et al.	20001017	US 6134506 A	Р
tor Curren	Inventor	Issue Date	Document ID	

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pa
1	US 20020038855 A	20020404	20020404 HWANG, W et al.			10
2	US 6509576 B2	20030121	6509576 B2 20030121 Woo-Dong; Hwang	250/559.33	700/259; 901/3; 901/47	10

L19 Results

		,
21	20	
BRS	BRS	Туре
L21	L20	# T
211491	383545	Hits
(model or simulation or description or representation) near8 (error or deviate or deviated or deviating or deviation or difference or variation)	(correct or corrected or correcting or correction or compensate or compensated or compensated or compensation or calibrated or calibrated or calibrated or calibrating or calibration) near5 (coordinate or (conear2 ordinate) or orientate or orientation or position or position or displace or displaced or displacement or align or aligned or aligning or alignment)	Search Text
US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	DBs
2007/04/20	2007/04/20 15:10	Time Stamp

	Type L #	#	Hits	Search Text	DBs
:				21 near10 (coordinate or (co near2 ordinate) or orientate or orientation or	
N N	BRS	L22	7382	position or positioning or location or displace or displaced or displacing or	r USOCR; FPRS; EPO; r JPO;
	-	•		displacement or align or	DERWENT;
				aligned or aligning or	IBM_TDB
				alignment)	
					us-pgpub;
					USPAT;
					USOCR;
23	BRS	L23	620	20 near15 (21 or 22)	FPRS; EPO;
					JPO; DERWENT;
					IBM_TDB

			•	- 1	1
	Туре	#	Hits	Search Text	DBs
				(rotate or rotated or	
				rotating or rotation or	
				replace or replaced or	
-				o ga	
				switch or switched or	
				switching or convert or	
				converted or converting or	
	,			n or	
				translated or translating	
			-	or translation or format or	US-PGPUB;
				formatted or formatting or	USPAT;
				change or changed or	USOCR;
24	BRS	L24	1828743	ng or	FPRS; EPO;
				altered or altering or	JPO;
				alteration or modify or	DERWENT;
				r Z	IBM_TDB
	,			modification) near5	
				(coordinate or (co near2	
				ordinate) or orientate or	
				orientation or position or	
				positioning or location or	
				displace or displaced or	
		·		o Bu	
				or align or aligned or	
			-	aligning or alignment)	

	Туре	L #	Hits	Search Text	DBs	Time Stamp
N 51	BRS	L25	3213	(21 or 22 or 23) same 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20
N 6	BRS	L26	2417497	(replace or replaced or replacing or replacement or switch or switched or switching or convert or converted or converting or converted or translate or translated or translate or translated or change or changed or changing or alter or altered or altering or alteration or modify or modified or modifying or modified or instruction or instructed or instructed or instructed or instructed or application or protocol or application or program or level or setting or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/04/20

4/20	
4/20/2007,	
EAST	
Version:	
n: 2.1.	`
0.14	

.

	DERWENT;	Scanned ti Pb, Kuis all				
15:19	Ŏ,	Therference Searc	121	L30	BRS	30
,0/7000	٠.					
	USPAT;				-	
	US-PGPUB;					
	IBM_TDB				-	
	DERWENT;					
TOTA						
16:10	FPRS; EPO;	20 and 23 and (25 or 27)	121	L29	BRS	29
007/0	USOCR;		-			
	USPAT;					
	US-PGPUB;					
	IBM_TDB					
	DERWENT;					
	JPO;	7		,		
15.18	FPRS; EPO;	20 and 23 and 25 and 27	16	L28	BRS	28
3007/0	USOCR;					
	USPAT;					
	US-PGPUB;					
	IBM_TDB					
	DERWENT;					
F (- F (ЛРО;					
15.16	FPRS; EPO;	(21 or 22 or 23) same 26	6522	L27	BRS	27
2007/0	••					,
	USPAT;					
	US-PGPUB;					
1	· b	מפמוכה ופאר	מדרמ	t	P. A. A. T.	
Time Stamp	DBs	Search Text	Hits	Ľ #	Type	

٥	ъ	4	ω	N	Р	
sn	US A1	us	Sn	8	SD	П.
65(200	626	61.	97,	48.	Document
6509576	020	6269284	6134506	9743703	4831549	ıme:
1 1	038			l	l	
В2	20020038855	B1	A	A1	A	뷥
20030121	20020404	20010731	20001017	199	198	ப
301	204	107	010	19971120	19890516	Issue Date
21	04	31	17	20	16	e 16
Woo-Dong; Hwang	Hwang,	Lau; Kam C.	Rosenberg;	LAU,	Red;	
-Do	ng,	; ×	enb			
ng;	Wo	am	erg	KAM	Walter	н
HV	Woo-Dong	c.		Се	er	Inventor
/ano)ong	. e	Louis	t	H	nto
"	<u>u</u>	a 1		al.	et	ř
			В		al	
	.*		et		•	
250	250	700	702		700	ဌ
250/559	250/559	261/007	702/95		700/254	Curren
•	•	93	01		54	nt
33	29					OR
700 901 901		7000 7000 7000 7000 7000 7000	33/ 33/ 33/ 700 702		901 901	S
/3	,	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	50 50 50 /1 /1		/1	Current XRef
59; ; 7		60; 60; 65; 65; 65;	2; 3; 4; 95;		6;	
10	<u> </u>	Ν ⁽¹⁾	3 8	45	20	Pag s
						je

L30 Results

	Document ID
20040172168	ent ID
	Issue Date
Watanabe, .	In
Atsushi et	Inventor
700/264	Current OR
700/245	Current XRef
13	Page s

L30 Results

32	31	
BRS L34 0	BRS	Type L #
L34	L33 2	L #
0	Ν	Hits
("2006/0181236").URPN.	("20060181236").pn. Schnned Ti M/I	Search Text
USPAT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	DBs
2007/04/20 16:49	2007/04/20	Time Stamp

	Document ID	Issue Date	Inventor	Current OR	Current F	0.0
Ъ	WO 2004071717 A	20040826	20040826 BROGARDH, T		3	≌
	US 20060181236 A1	20060817	20060817 Brogardh; Torgny	318/568.1	ω	2

· ထိ	
BRS L35 5	Type L #
L35	#
	Hits
"2004071717" or (04 near1 "071717") Scanned T. Ab all	Search Text
US-PGPUB; USPAT; USOCR; PPRS; EPO; 2007/04 JPO; DERWENT; IBM_TDB	DBs
2007/04/20	Time Stamp

2 WO 2004071717 20040826	1 WO 2004071717 20040826	Document ID Date
)826 BROGARDH, T)826 BROGAARDH, TORGNY	sue Inventor
	·	Current OR
		Current XRef
31	64	Page s

L33 Results